




Double-walled cable ducts

Technical Datasheet

uponor



Double-walled cable ducts



The flexible construction makes both strong and easy to work with.

Low weight allows for fast and less labour intense installation.

Smooth inside makes it easy to pull cable, also in directional changes.

Coils come with pulling wire.



Double-walled cable ducts

Double-walled cable ducts are manufactured with PE. The pipes are smooth inside and corrugated on the outside. The smooth inside makes it easy to run cables, even with changes of direction.

The pipe is strong and light, which gives a fast and less labor-intensive installation. The tube is available on a ring and in straight lengths in dimensions from 50/42 to 160/138. Class SRN.

Application	Cable Protection System
Material	Polyethylene
Colour	Yellow, green, orange
Type	Smooth inside, corrugated outside
Dimensions	50-160mm
Classification	SRN
Standards	EBR KJ41:15 Kabelförläggning, max 145 kV SS 424 14 37 Kabelförläggning i mark utgåva 6, SPF Verksnorm 5200 utgåva 1

Features and Assortment

System properties		Standard
Ring stiffness	Normal design Nominal stiffness 4 kN/mm ²	SS 424 14 37 utg 6
Impact strength	Normal design Pointed striker <90mm, drop weight 5kg, height 500mm ≥90mm, drop weight 10kg, height 500mm	SS 424 14 37 utg 6

Watertight socket, sealing ring, SRN 	Dimension mm	Length m	Colour	Uponor no	RSK no	E-nr
	50/42	6	yellow	1055199	2417744	0663203
	50/42	6	green	1055203	2417779	0663845
	50/42	6	orange	1055208	2419027	0663916

Sandtight socket, SRN 	Dimension mm	Length m	Colour	Uponor no	RSK no	E-nr
	50/42	6	yellow	1055200	2417778	0663204
	110/95	6	green	1055205	2417781	0663201
	110/95	6	yellow	1055201	2417780	0663206
	160/138	6	yellow	1055202	2417782	0663214

Coils, with pulling wire, SRN 	Dimension mm	Length m	Colour	Uponor no	RSK no	E-nr
	50/42	50	yellow	1051596	2418891	0663135
	50/42	50	green	1055253	2418889	0663136
	50/42	50	orange	1055252	2418892	0663137
	75/62	50	yellow	1061124		0663242
	110/95	50	yellow	1055258	2418890	0663177
	110/95	50	green	1055204	2418888	0663179

Moving ➤ Forward

uponor

Uponor Corporation

Äyritie 20
01510 Vantaa
Finland

T +358 (0)20 129 211
F +358 (0)20 129 2841
www.uponor.com

Uponor Corporation

Äyritie 20
01510 Vantaa
Finland

T +358 (0)20 129 211
F +358 (0)20 129 2841
www.uponor.com