

## Uponor conduits

### Holder/Issued to

### Uponor GmbH

Industristrasse 56, 97437 Hassfurt, Germany

VAT number: DE133899039

Phone: +49(0)95216900

E-mail: [info.de@uponor.com](mailto:info.de@uponor.com), Web: <http://www.uponor.com>

### Product description

Uponor corrugated conduits made of HD polyethylene in dimensions Dy / Di: 25/20 and 28/23. The tubes are black or white, white tubes are available with a color line.

Dimension	Minimum permissible bending radius
25/20	38 mm or Uponor wall bracket fixture
28/23	42 mm

### Intended use

Protective pipes for tap water and heating pipes for limiting water damage. They are also intended for use with Uponor wall bracket fixture.

### Trade name

Uponor conduits

### Approval

The products satisfies the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Concealed surfaces in rooms or building components  
Design  
Concealed surfaces in rooms or construction elements

6:5334  
6:625, 1<sup>st</sup> and 2<sup>nd</sup> paragraph  
6:9532

### Associated documents

Uponor PE-Xa pipes, ver X2016-06.  
Uponor wall bracket fixture WB 25/20, 1084600\_11/2015.

### Control

The factory production control (FPC) is monitored by an independent inspection body. Control agreement: 400-94-0639. Inspection body: RISE Inspection.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this approval is based.

Type Approval 4991/86 | 2021-06-03

RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | [certifiering@ri.se](mailto:certifiering@ri.se) | [www.ri.se](http://www.ri.se)

138480

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE

