



Uponor FastGuard



Uponor FastGuard is a real problem solver!
Bypass demanding areas with minimum impact on the environment

Great for continuation of cable ducting for stretches with increased demands on mechanical strength, for example crossing a road with heavy traffic or where full installation depth cannot be obtained

Ergonomic design facilitates assembly from top down and installation without extra tools (close with hand or foot)

Packaging and assembly method significantly improves time and installation ergonomics


Uponor FastGuard






Uponor FastGuard can be used as temporary or permanent protection for already installed cable. The reinforced SRS pipe give protection in difficult conditions when there are high requirements for strength, for example, when the required fill height of SRN class cannot be achieved or against poor ground conditions under the cable. The SRS cable protector can be used for a fill height of ≥ 0.25 m.

Application	Cable protection system
Material	PP
Dimension	110, 160
Length	1M
Color	Yellow, Green, Red
Classification	SRS according to EBR KJ41:21 Kabelförläggning max. 145 kV, SS 424 14 37 utg 6 samt SPF Verksnorm 5200

Properties and assortment

System properties	Standard
Ring stiffness - Reinforced design Nominal stiffness 8 kN/mm ²	SS 424 14 37 utg 6
Impact strength - Reinforced design Pointed tip R2, weight 10kg, height 1000 mm	SS 424 14 37 utg 6

	Mounting dimensions	di mm	do1 mm	do2 mm	l mm	M mm	Weight kg
	DN110	96	132	146	970	40	2,34
	DN160	140	179	200	968	42	4,39

Uponor FastGuard	Uponor no	RSK no	E-no	Dimension mm	Length m	Color
	1142987	2390115	0663364	110	1	Yellow
	1142988	2390116	0663365	110	1	Green
	1142989	2390117	0663366	110	1	Red
	1142990	2390118	0663367	160	1	Yellow
	1142991	2390119	0663368	160	1	Green
	1142992	2390120	0663369	160	1	Red

Moving > Water

uponor

Uponor Corporation

Ilmalantori 4

00240 Helsinki

Finland

T +358 (0)20 129 211

F + 358 (0)20 129 2841

www.uponor.com