

JRG

+GF+

JRG Sanipex

**Benefit from more than
40 years of experience!**



**The world's first plastic
pipe-in-pipe drinking water
installation system**



JRG Sanipex

Forever young

System Description

JRG Sanipex is the world's first plastic pipe-in-pipe drinking water installation system. For more than 40 years, JRG Sanipex has been constantly updated to reflect the latest technology and the needs of the market.

The JRG Sanipex cone grip union connection guarantees a secure, water-pocket-free connection at full flow. It can be removed at any time and requires no additional sealing materials.


The pipe-in-pipe technology allows the pipes to be laid directly into the concrete or other building structures (e.g. timber constructions) and the PE-X pipes within the conduit can be replaced if needed. This means that JRG Sanipex pipes, which are housed in a protective pipe, can be replaced in the event of mechanical damage occur. If the Sanipex distributor is visible or easily accessible, d12 and d16 pipes (DN8 / DN12) laid in a single-line system can be replaced without damaging floors or tiles furthermore.

In addition, the perfectly harmonized system components effectively prevent noise pollution.

Conventional system
with water pockets



JRG Sanipex
water-pocket free



Low noise and minimum pressure drop



Advantages

+ Plumbers

Interchangeability

Thanks to the pipe-in-pipe system, the water-carrying inner pipe can be replaced without damaging walls and floors

Removable and reusable connections

Can be easily removed and reinstalled without additional fittings

Installation possible without external power supply

Using simple hand tools, connections are possible in all dimensions

Hygienically impeccable connection without additional sealing material

Full piping cross-section without water pockets thanks to the connection technology; highly corrosion and limescale resistant

Flexible pipe routing

Versatile system with PE-X / multi-layer composite pipes

+ Home owners and planners

Highly safe and hygienically impeccable


Proven connection technology free of water pockets and breeding ground for legionella and bacteria

Flexible use

Key application for building services, hot and cold water distribution, heating / air conditioning and watermist sprinkler systems

Comfort

Lowest pressure losses and noise pollution due to the cone grip union connection



+ Specifications

Materials	PE-Xa, PE-Xc, PE-Xc / AL / PE-X, gunmetal
Dimension range	d12 – d32
Connection technology	Cone grip connection
Operating pressure	Up to 16 bar
Operating temperature	0°C to +95°C
Pipe dimension	d 12, 16, 20, 25, 32 DN 8, 12, 15, 20, 25
Application range	Cold and hot water, HVAC, compressed air, watermist sprinkler systems
Installation	Surface and concealed conduits from distributor to tapping points
Pipes	JRG cross-linked polyethylene (XL-PE) pipes JRG Sanipex MT multilayer composite pipes
Fittings/system components	Gunmetal and plastic
Technology	Pipe-in-pipe system

System components

+ Materials

PE-X pipes

PE-X pipes consist of three-dimensionally cross-linked polyethylene. The cross-linking significantly improves creep strength, low-temperature toughness and stress-crack resistance, and thus ensures a safe supply of top-grade drinking water in your installation for decades to come. Their low weight and resistance to aggressive water, corrosion or deposits is a distinguishing feature of our PE-X pipes. Due to their flexibility, they are very easy to install and especially suitable for all cold and hot water applications.

Multilayer composite pipes

Multilayer composite pipes combine the advantages of plastic and metal. Thanks to the flexibility of plastic and the strength of metal, the pipes are ideally suited to withstand the wide range of temperatures and pressures in both cold and hot water systems. The structure of the pipe consists of five layers: Extruded PE-X inner layer, bonding agent, longitudinally butt-welded aluminium pipe, another adhesive layer and extruded PE-X outer layer. PE-X was developed by renowned manufacturers for building technology applications and is approved for use with foodstuffs and drinking water.

Fittings

All water-bearing valves and fittings are made of gunmetal. They are sandcasted and state-of-the-art in flow, noise reduction and hygiene.

In addition, they are highly corrosion resistant.




+ Concealed boxes

- Pipes can be replaced through the box body
- Optimized for lightweight and timber constructions
- Can be installed in any position and direction

+ Shuttering box

- Available in single and multiple versions
- Transparent material, which allows the plumber to check the insertion depth of the pipes
- Nails already pre-assembled to the installation aids
- Installation aids universally suitable for pipes (with protective conduits) d12, d16 and d20



+ Tools

- Efficient assembly of PE-X and multilayer composite pipes
- Simple hand tools, no external power needed





Worldwide at home

Our sales companies and representatives ensure local customer service in over 100 countries.

www.gfps.com

Argentina / Southern South America

Georg Fischer Central Plastics Sudamérica S.R.L.
Buenos Aires / Argentina
Phone +54 11 4512 02 90
Fax +54 11 4512 02 93
gfccentral.ps.ar@georgfischer.com
www.gfps.com/ar

Australia

George Fischer Pty Ltd
Riverwood NSW 2210
Phone +61 (0) 2 9502 8000
Fax +61 (0) 2 9502 8090
australia.ps@georgfischer.com
www.gfps.com/au

Austria

Georg Fischer Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43 (0) 2782 856 43 0
Fax +43 (0) 2782 856 64
austria.ps@georgfischer.com
www.gfps.com/at

Belgium / Luxembourg

Georg Fischer NV/SA
1600 Sint-Pieters-Leeuw / Belgium
Phone +32 (0) 2 556 40 20
Fax +32 (0) 2 524 34 26
be.ps@georgfischer.com
www.gfps.com/be

Brazil

Georg Fischer Sist. de Tub. Ltda.
04571-020 São Paulo/SP
Phone +55 (0) 11 5525 1311
br.ps@georgfischer.com
www.gfps.com/br

Canada

Georg Fischer Piping Systems Ltd
Mississauga, ON L5T 2B2
Phone +1 (905) 670 8005
Fax +1 (905) 670 8513
ca.ps@georgfischer.com
www.gfps.com/ca

China

Georg Fischer Piping Systems Ltd
201319 Shanghai
Phone +86 21 3899 3899
Fax +86 21 3899 3888
china.ps@georgfischer.com
www.gfps.com/cn

Denmark / Iceland

Georg Fischer A/S
2630 Taastrup / Denmark
Phone +45 (0) 7022 1975
Fax +45 (0) 7022 1976
info.dk.ps@georgfischer.com
www.gfps.com/dk

Finland

Georg Fischer AB
01510 Vantaa
Phone +358 (0) 9 586 58 25
Fax +358 (0) 9 586 58 29
info.fi.ps@georgfischer.com
www.gfps.com/fi

France

Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33 (0) 1 41 84 68 84
Fax +33 (0) 1 41 84 68 85
fr.ps@georgfischer.com
www.gfps.com/fr

Germany

Georg Fischer GmbH
73095 Albershausen
Phone +49 (0) 7161 302 0
Fax +49 (0) 7161 302 25 9
info.de.ps@georgfischer.com
www.gfps.com/de

India

Georg Fischer Piping Systems Pvt. Ltd.
400 076 Powai, Mumbai
Phone +91 22 4007 2000
Fax +91 22 4007 2020
branchoffice@georgfischer.com
www.gfps.com/in

Indonesia

PT Georg Fischer Indonesia
Karawang 41371, Jawa Barat
Phone +62 267 432 044
Fax +62 267 431 857
indonesia.ps@georgfischer.com
www.gfps.com/id

Italy

Georg Fischer S.p.A.
20864 Agrate Brianza (MB)
Phone +39 02 921 86 1
Fax +39 02 921 86 24 7
it.ps@georgfischer.com
www.gfps.com/it

Japan

Georg Fischer Ltd
530-0003 Osaka
Phone +81 (0) 6 6341 2451
jp.ps@georgfischer.com
www.gfps.com/jp

Korea

Georg Fischer Piping Systems
463-824 Seoul
Phone +82 31 8017 1450 3
Fax +82 31 8017 1454
kor.ps@georgfischer.com
www.gfps.com/kr

Malaysia

George Fischer (M) Sdn. Bhd.
41200 Klang, Selangor Darul Ehsan
Phone +60 (0) 3 3122 5585
Fax +60 (0) 3 3122 5575
my.ps@georgfischer.com
www.gfps.com/my

Mexico / Northern Latin America

Georg Fischer S.A. de C.V.
CP 66636 Apodaca, Nuevo Leon / Mexico
Phone +52 (81) 1340 8586
Fax +52 (81) 1522 8906
mx.ps@georgfischer.com
www.gfps.com/mx

Middle East

Georg Fischer Piping Systems (Switzerland) Ltd
Dubai / United Arab Emirates
Phone +971 4 289 49 60
Fax +971 4 289 49 57
gss.ps@georgfischer.com
www.gfps.com/int

Netherlands

Georg Fischer N.V.
8161 PA Epe
Phone +31 (0) 578 678 222
Fax +31 (0) 578 621 768
nl.ps@georgfischer.com
www.gfps.com/nl

New Zealand

Georg Fischer Ltd
5140 Upper Hutt
Phone +64 (0) 4 527 9813
Fax +64 (0) 4 527 9834
nz.ps@georgfischer.com
www.gfps.com/nz

Norway

Georg Fischer AS
1351 Rud
Phone +47 67 18 29 00
Fax +47 67 13 92 92
no.ps@georgfischer.com
www.gfps.com/no

Philippines

Georg Fischer Pte. Ltd.
Philippines Representative Office
1500 San Juan City
Phone +632 571 2365
Fax +632 571 2368
sgp.ps@georgfischer.com
www.gfps.com/sg

Poland

Georg Fischer Sp. z o.o.
05 090 Sekocin Nowy
Phone +48 (0) 22 3131 050
Fax +48 (0) 22 3131 060
poland.ps@georgfischer.com
www.gfps.com/pl

Romania

Georg Fischer Rohrleitungssysteme (Elvetia)
S.A. SUCURSALA BUCURESTI
020257 Bucuresti
Phone +40 311 040 492
Fax +40 212 317 479
ro.ps@georgfischer.com
www.gfps.com/int

Russia

Georg Fischer Piping Systems (Switzerland) Ltd
Moscow Representative Office
125040 Moscow
Phone +7 495 748 11 44
ru.ps@georgfischer.com
www.gfps.com/ru

Singapore

Georg Fischer Pte Ltd
528 872 Singapore
Phone +65 6747 0611
Fax +65 6747 05 77
sgp.ps@georgfischer.com
www.gfps.com/sg

Spain / Portugal

Georg Fischer S.A.
28046 Madrid / Spain
Phone +34 (0) 91 781 98 90
Fax +34 (0) 91 426 08 23
es.ps@georgfischer.com
www.gfps.com/es

Sweden

Georg Fischer AB
11743 Stockholm
Phone +46 (0) 8 506 77 50 0
Fax +46 (0) 8 749 23 70
info.se.ps@georgfischer.com
www.gfps.com/se

Switzerland

Georg Fischer Rohrleitungssysteme (Schweiz) AG
8201 Schaffhausen
Phone +41 (0)52 631 3026
Fax +41 (0)52 631 2800
ch.ps@georgfischer.com
www.gfps.com/ch

Taiwan

Georg Fischer Co. Ltd.
24158 New Taipei City
Phone +886 2 8512 2822
Fax +886 2 8512 2823
tw@georgfischer.com
www.gfps.com/tw

Turkey

Georg Fischer Hakan Plastik
Boru ve Profil San. Tic. A.Ş.
59500 Cerkezkoy / Tekirdag
Phone +90 282 726 64 43
Fax +90 282 726 94 67
hpsales@hakan.com.tr
www.hakan.com.tr

United Kingdom / Ireland

Georg Fischer Sales Ltd
CV2 2ST Coventry / United Kingdom
Phone +44 (0) 2476 535 535
Fax +44 (0) 2476 530 450
uk.ps@georgfischer.com
www.gfps.com/uk

USA / Caribbean

Georg Fischer LLC
92618 Irvine, CA / USA
Phone +1 714 731 88 00
Fax +1 714 731 62 01
Toll Free 800/854 40 90
us.ps@georgfischer.com
www.gfps.com/us

Vietnam

Georg Fischer Pte Ltd
Representative Office
Ho Chi Minh City
Phone +84 28 3948 4000
Fax +84 28 3948 4010
sgp.ps@georgfischer.com
www.gfps.com/vn

International

Georg Fischer Piping Systems (Switzerland) Ltd
8201 Schaffhausen / Switzerland
Phone +41 (0) 52 631 3003
Fax +41 (0) 52 631 2893
info.export@georgfischer.com
www.gfps.com/int

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.



37 020 62
e / 07.21

© Georg Fischer JRG AG
Hauptstrasse 130
CH-4450 Sissach/Switzerland
Telefon +41 (0) 61 975 22 22
info.jrg.ps@georgfischer.com
Printed in Switzerland