

Marking tape

MBN & MBP

Technical Data

uponor




Uponor MBN & MBP

Marking tape for localization of power cables.

Marking tape manufactured in PE are used to mark cables or pipes in the ground. Uponor marking tape fulfills the demands according to EBR KJ41:99 Kabelförläggning 145 KV and are certified according to SS-EN 4241437.

The marking tapes are available in classes MBN, MBP and MBN. The different colors of the tapes marks the different cables they protect: Yellow: "Power Cable", Green: "Low current Cable"/"Opto Cable", Orange: Telecom Cable".




Benefits:

- Secures already installed cables and pipes from excavation.
- Easy to install and handle.
- Manufactured in PE.
- Long service life.


Assortiment

MBN - Power Cable & Low current Cable/Opto Cable



RSK/NVR/LVI no.	Uponsor no.	Dimension mm	Length m	Color	Weight kg/pcs.	Thickness mm	Pcs. per carton/pallet
	1055926	50	250	Yellow	1,2	0,1	12/360
	1055928	125	250	Yellow	2,9	0,1	1/192
	1055930	125	250	Green	2,96	0,1	1/192

MBP - Power Cable



RSK/NVR/LVI no.	Uponsor no.	Dimension mm	Length m	Color	Weight kg/pcs.	Thickness mm	Pcs. per carton/pallet
	1055927	50	500	Yellow	6,9	0,3	1/57

MBN - Telecom Cable



RSK/NVR/LVI no.	Uponsor no.	Dimension mm	Length m	Color	Weight kg/pcs.	Thickness mm	Pcs. per carton/pallet
	1055929	1215	250	Orange	2,9	0,1	1/192

Uponsor Infra AB

513 81 Fristad

T 033-17 25 00

E infrastruktur.se@uponor.com

www.uponor.se/infra

XXXXX 09/2021