

Energy and renovation

Uponor

Uponor is your expert renovation partner
for energy-efficient and sustainable solutions



➤ Uponor is your expert renovation partner

More comfort, less costs – with solutions from Uponor

Home owners, the owners of public and commercial buildings, architects, planners and landlords alike are becoming increasingly aware of the impact of construction measures on the environment. They feel the need to start using energy-efficient solutions.


Uponor systems meet your customers' requirements for the energy-specific renovation of existing buildings.

Moreover, our systems save energy costs and improve living comfort.

Every renovation project has its own requirements

We have the right solutions

Uponor offers the perfect systems for energy-specific retrofitting in any type of building, from small apartments to single-family homes and multi-storey apartment buildings, as well as for public or commercial buildings.



Energy efficient heating and cooling via floor, wall or ceiling

The radiant heating/cooling system is invisibly integrated into the floor, wall or ceiling of the building. Due to the effective transfer of heat over a large area, significantly lower supply temperatures are required than with conventional heat transfer systems.



Replacing radiators with radiant heating effectively reduces the energy consumption of an existing building if the heating system is also combined with a heat pump or other renewable energy source installation.

Heating and cooling via floor surfaces

Whether systems with minimal structure height and installation on existing floor coverings or lightweight constructions for wooden joist ceilings – Uponor has a perfect solution for almost any requirements.

Improve room comfort save energy and costs

Radiant heating with a low supply temperature delivers pleasant room comfort and well-being and ensures savings in terms of energy and costs.




Walls as heating surfaces

Whether as a lightweight drywall system or using wet plaster methods, the Uponor systems for wall heating ensure an all-round pleasant indoor climate throughout the year.

Radiant cooling/heating via ceiling

Uponor offers a variety of solutions depending on the property and the cooling and heating requirements of the building.




FLOOR



WALL



CEILING



System finder for radiant heating and cooling in renovation projects

A) Uponor Minitec
B) Uponor Siccus mini

Uponor Minitec

Uponor Minitec

Uponor Minitec
Uponor Siccus mini

A) Uponor Minitec
B) Klett Twinboard

A) Uponor Klett system
B) Uponor Tacker system
C) Uponor NUBOS

Uponor Siccus

Uponor Fix

Uponor Siccus Wall

Uponor Renovis

Uponor Fix

Uponor Renovis

A) Uponor Thermatop M
B) Uponor Thermatop S

➤ Selecting the appropriate radiant heating system for a building renovation depends on numerous factors, including:

- Size of the useful heating surface
- Structural considerations like the static load capacity
- Specified structure heights
- Historical preservation requirements

➤ Retrofitting can be performed on a room-by-room basis or throughout the whole building

- Installation on existing floor coverings is possible
- In some cases it is possible to keep the existing screed
- Uponor low-profile systems are ultra-thin, making them ideal for retrofitting existing buildings with underfloor heating

➤ Uponor systems are also suitable for installation in wooden joist ceilings or timber frame buildings

- Uponor drywall systems are lightweight, quick to install and can be walked on immediately after installation





**Consult Uponor technical expert
about the best solutions for
your individual project.**

Uponor Minitec

Can be installed on almost all existing floors due to the structure height of only 15 mm

With a minimum structure height of just 15 mm, the Uponor Minitec low-profile system is the perfect solution for retrofitting underfloor heating. After all, when laying underfloor heating over an existing subsurface, every millimetre in height counts.



Uponor Minitec
Self-adhesive
sheeting element

Uponor Minitec
Comfort Pipe 9.9 mm
heating pipes

The perfect solution for underfloor heating where every millimetre of structure height counts

- Low floor construction
- Direct installation possible on existing floor covering



FLOOR



WET INSTALLATION




MM

15

Uponor Nubos

Nub foil for installation on existing insulation

Uponor Nubos nub panels are installed in the floor construction, under a load distribution layer of cement or anhydrite based screed and are available in three versions (ND 30-2, ND 11 and nub foil without insulation) for different floor constructions and loads.



Optimal adaptation to existing room geometries with minimal waste cut through two-sided overlapping edge structure as a separate one

Uponor Nubos nub foil without back-foaming for installation on existing insulation

Optimally matched components

- Optionally available as back-foamed EPS insulation in 30 mm or 11 mm
- As nub foil for installation on existing insulation



FLOOR



WET INSTALLATION




30

MM

Uponor Renovis Drywall system – modular and energy efficient

Uponor Renovis consists of gypsum plasterboards in which Uponor PE-Xa pipes are factory preinstalled. Optimal heating and cooling of rooms via walls or ceilings in drywall applications.



Fibre-reinforced gypsum plasterboard 15 mm, installation on defined drywall substructures

Ready-to-connect gypsum plasterboard with integrated pipe register

- Heating surface and new wall/ceiling surface in one
- For wall and ceiling installation
- Mounting on commercially available 60 x 27 mm CD profiles, optionally with a factory-installed insulation layer



WALL



CEILING



DRYWALL




min 15

MM

Uponor Thermatop M

Seamless gypsum plasterboard system for cooling and heating ceilings

The system is based on the diffusion-resistant Uponor composite pipes and comprises standardised modules that can be installed quickly in conventional ceiling substructures without additional tools thanks to a click-in design.



High heating and cooling capacities through large, thermally active pipe surface and good contact with gypsum plasterboard

Freely plannable ceiling height, simple click-in installation

- Quick and tool-free installation of the standardised registers by clicking the fixing rails into the commercially available CD profiles of the ceiling substructure.
- Clear separation of trades between drywall installation and building automation systems
- Panelling with commercially available gypsum plasterboards
- Simple integration of installed parts possible



CEILING



DRYWALL




MM

Uponor Siccus

Lightweight for versatile applications

With dry screed boards as load distribution layer, the system weight is only approx. 25 kg/m². This is particularly advantageous when used on wooden joist ceilings with low static load-bearing capacity.



Lightweight drywall system for installations with a low static load-bearing capacity

- Ideal for wooden joist ceilings with a low static load-bearing capacity, e.g. in old-building renovations
- System weight only approx. 25 kg/m²
- Short installation time; can be walked on immediately due to dry screed
- Suitable for all common floor coverings



FLOOR



DRYWALL





MM

Uponor Siccus Mini

Lower than ever – for the fastest comfort

The thinnest generation of radiant underfloor heating and cooling with only 15 mm height. For renovation in older residential buildings, low-height constructions can make or break a deal during the change to an underfloor heating and cooling system.



XPS panel with full-face heat transfer layer of Aluminium with integrated pipe grooves for use with Comfort Pipe 9.9 mm.



Our thinnest generation of radiant underfloor heating

- Close-to-flooring construction of UFH is energy efficient.
- Heat-up is fast – 90% of heating power in less than 1 hour.
- Support convenience as position of existing interior as door handles, light switches etc. stays nearly at the same.
- Use of long-term proven PeX-a pipe and Q+E jointing technology



FLOOR



DRYWALL





MM

Uponor Fix

Universal under-plaster ceiling and wall heating

Universal system for ceiling and wall installation with few, optimally matched system components.



Uponor Fix is installed under the plaster on fixing tracks

Ceiling and wall solutions can also be combined for individual requirements

- One system for wall and ceiling – can be installed as stand-alone wall heating or in conjunction with ceiling heating
- Can also be used with clay plaster, perfect as a radiant heating system in diffusion-open walls
- Ideal for heating support where the floor area is too small, e.g. in stairwells



WALL



CEILING



WET
INSTALLATION



MM

32

Uponor Siccus Wall

Wall heating for fast construction progress in drywall installations

Siccus Wall is the ideal dry mortarless construction for walls used for heating and cooling. Due to its lightweight construction, it perfectly meets the requirements for renovation projects.



Less heat loss due to integrated insulation layer

Uponor Siccus heat conducting plates for optimal heat transfer

Drywall system for wall installation – lightweight construction with low structure height

- Ideal for old-building renovations: low construction height, low weight
- One system for floor and wall – can be used as stand-alone wall heating or in conjunction with underfloor heating



WALL



DRYWALL





MM

50

Uponor Klett

Fast and innovative fixation technology

Uponor Klett is incredibly fast and easy to install. Even in confined areas like under roof slopes, at the flap tile or under stair landings, the desired pipe installation is easily achieved with Uponor Klett.



Adapts flexibly to the geometry of any room

- Fast installation by a single person without special tools
- Easy installation, even in irregularly shaped rooms
- Simple position correction of previously installed pipes
- Wide range of installation panels
- Attachment on existing insulation with Klett Twinboard



FLOOR



WET INSTALLATION



74

MM

Uponor Tacker

Most efficient and robust

Uponor Tacker system are designed to perfectly match each other. The panels with thermal and step sound insulation are equipped with tear-proof surface and printed installation grid. They enable easy installation of system pipes. All components are designed to ensure optimum safety and reliable operation.



Flexible: composite panels or rolls, different thermal & step sound insulation layers



Foil on the panel is printed with 100x100mm grid pattern

Versatility due to flexible pipe layout

- Fast and flexible.
- Made for all types of screeds.
- Optimized components for fast and strong pipe fixations.
- Efficiently matched system with few components.
- Wide insulation rolls and boards portfolio with different thermal/impact sound insulation layers allow a wide variety of applications.
- For use with all Uponor PeXA, PERT and MLCP RED pipes 14, 16, 17 and 20 mm.



FLOOR



WET INSTALLATION




MM

Uponor Smatrix Pulse

Significantly more comfort and reduced energy cost

User-friendly individual room temperature controls for maximum room comfort: Easy to install and to set up in just a few steps.



Uponor Smatrix Pulse Interface between control module and Internet

Uponor Smatrix Wave Style room thermostat with room temperature and humidity measurement function for maximum comfort and best energy efficiency

Intuitive and easy-to-use app for setting up and operating the system

Save energy and improve living comfort

- Easy to control via app or voice assistant
- Available as a radio version or for wired installation
- Suitable for heating and cooling
- Higher energy efficiency through autobalancing technology and intelligent analysis function
- Optimised supply temperature via data exchange between heat pump* and room temperature control

* selected manufacturers



HIGH ENERGY EFFICIENCY



SIMPLE OPERATION



EASY INSTALLATION

Uponor Comfort Port

Preassembled manifold cabinets – unpack, connect, done

Uponor Comfort Port manifold cabinets save valuable installation and set-up time: Prefabricated manifolds and connection sets in the distribution cabinet and complete installation and wiring of the control technology on the control terminal strip and actuators.



Configure your Uponor Comfort Port heating manifold fast and easy online

Everything inside: prefabricated manifolds save time and money

- Factory prefabrication of complete components in the manifold cabinet
- Set-up and installation time is significantly reduced
- Simple installation of the preassembled manifold
- Easy configuration and ordering with just a few



TIME-SAVING
ASSEMBLY



PLUG & PLAY




ONLINE
CONFIGURATOR


Uponor Uni Pipe PLUS

New lifelines in buildings provide for fresh water

The Uponor composite pipe system enables complete drinking water installations, even for the renovation of old buildings – from the house connection to the last tapping point, new pipes made of composite pipe ensure ideal hygienic conditions.



Uponor Uni Pipe PLUS composite pipes and S-Press PLUS fittings



Numerous pre-insulated variations and pipe-in-pipe versions available

The fastest installation system put to the test

- Wide range of pre-insulated pipes
- Flexible, bendable pipe for easy pipe routing in on-wall installations or in installation shafts
- Assembly friendly fitting design
- Pressing without deburring



FASTEST SYSTEM



SUPER EASY TO BEND



ONE MACHINE FOR ALL FITTINGS

Uponor S-Press PLUS

Drinking water and heating installation in old-building renovations

With their numerous features, Uponor S-Press PLUS fittings and Uni Pipe PLUS pipes ensure efficient, fast and simple work sequences during planning and installation, even in the case of difficult pipe routing and confined spaces.



Uponor Uni Pipe PLUS is much more flexible and bendable than previous multilayer composite pipes

Fittings' features of Uponor S-Press PLUS ensure efficient, fast and simple work sequences in planning and installation

Individuality is our standard: we have an Uponor solution for every application

Everything with a single system and perfectly matched components

- Large portfolio of practical system transitions for easy connection to existing installations
- Also for heating installations
- Special fittings specifically for renovations



DRINKING WATER



HEATING


14-110

COMPREHENSIVE
DELIVERY PROGRAMME

Uponor Ecoflex

Innovative and energy-efficient selection of pre-insulated pipes, fittings and accessories

Extensive supply networks or individual connection to a building: Hot and cold drinking water as well as heating and cooling water are transported reliably and energy-efficiently with Uponor Ecoflex.



The flexible pre-insulated Uponor Ecoflex pipe systems are highly suited for both installation between main and out-buildings as well as for extensive local heating distribution.

Economical and energy efficient

- Higher energy efficiency with low lambda value of $<0.004 \text{ W/mK}$ for Uponor Ecoflex VIP
- Easy installation around corners and obstacles, connection-free up to 200 m in one stretch
- Self-compensating pipe design renders installation of expansion compensators superfluous
- No special tools required for installation
- Uponor cutting service for the delivery of desired lengths directly to the building site



CUTTING SERVICE



48-HOUR DELIVERY SERVICE




LOCAL HEAT DISTRIBUTION 25-125

Uponor Ecoflex Thermo Twin HP

The intelligent solution for heat pump connection


Uponor Ecoflex Thermo Twin HP pipes have been specially developed for heat pumps and A2B connections to implement heating supply and return, as well as power and control lines with just one system pipe.



Two PE-Xa medium pipes with oxygen barrier, SDR 11, two conduits for power or control cables, PEX foam insulation layer, robust PE-HD outer pipe

Efficient all-in-one solution for heat pump connection


- Combines heating lines and cable conduits in one medium pipe
- Only one installation step for supply and return line as well as the necessary cable conduits
- Less excavation work and narrower trenches
- Delivery of desired lengths directly to the building site
- Practical product packages for heat pump connection available



Uponor project planning service

Professional planning, smooth construction process

The Uponor project planning service helps you to manage the planning tasks in your day-to-day business. We offer an expert project planning and design service that provides you with professional support.



From the calculation of the heat load and the pipe network to hydraulic balancing and implementation planning, our experienced team supports you with a wide range of services.

Uponor project planning service for drinking water installation and radiant heating/cooling

- Support through a wide range of services, e.g. implementation planning and calculation of the heat load
- Preparation of detailed requirement analyses and planning documents



DESIGN, CONFIGURATION
AND PROJECT PLANNING



EXCELLENT
KNOW HOW



DIGITAL
SERVICES

Your contact to Uponor

We are here for you

CUSTOMER SERVICE

We offer the best advice

- ▶ Our experts will be happy to help you with your individual queries.
- ▶ Just give us a call:
+49 9521 690-0



PERSONALLY

We will support you with personal consultation



Please visit www.uponor.com/get-in-touch to contact Uponor expert close to you

Uponor installer services

**Uponor is the strong partner at your side.
We are looking forward to working with you!**



Customer service

- ▶ Commissioning, troubleshooting and repairs in a short time – book your service visit now: www.uponor.com/get-in-touch

10-year declaration of liability

- ▶ To obtain the registration form, please contact us: www.uponor.com/get-in-touch

Fast availability

- ▶ Uponor products are available for immediate delivery from almost every reputable distributor throughout Germany

Pressing machine check

- ▶ Together with our partner Klauke, we offer you a repair and inspection service for pressing machines

Uponor Online

Uponor provides support with broad spectrum of digital services

Tender specifications



Uponor's tender texts are available for immediate use in your tenders and lists of services.

Documentation



Technical information, installation and operating instructions and much more collected in one central location.

Practical videos



In our practical tips, professionals show you how it's done.

Catalogue ordering



The full technical catalogue combines all Uponor's technical documentation in a single volume.



Trainings

- We are offering different online and offline trainings - please get in touch with us to get more information



Moving
> Water

uponor

Uponor Corporation

Ilmalantori 4
00240 Helsinki
Finland

T +358 (0)20 129 211
W www.uponor.com