

Herstellererklärung zur Erfüllung der Anforderungen nach DGNB *Manufacturer's declaration on the fulfilment of the requirements according to DGNB*

Hiermit bestätigen wir, dass das/die untenstehend genannte(-n) Produkte die Anforderungen des DGNB System Kriterienkatalog Gebäude Neubau Version 2018 erfüllen. Im Einzelnen sind die zutreffenden Uponor Artikel, die Anforderungen und die jeweiligen Inhaltsstoffe untenstehend aufgeführt.

We hereby confirm that the product(s) listed below meet the requirements of the DGNB System Criteria Catalogue Building New Construction Version 2018.

In detail, the applicable Uponor items, the requirements and the respective ingredients are listed below.

1. Fittings aus PPSU / PPSU-fittings			
Uponor Art.-Nr.	Uponor Artikelbezeichnung Uponor item description	Uponor Art.-Nr.	Uponor Artikelbezeichnung Uponor item description
1039930	UPONOR S-PRESS PLUS ELBOW PPSU 20-20	1039948	UPONOR S-PRESS PLUS TEE RED. PPSU 16-20-16
1039931	UPONOR S-PRESS PLUS ELBOW PPSU 25-25	1039949	UPONOR S-PRESS PLUS TEE RED. PPSU 20-16-16
1039932	UPONOR S-PRESS PLUS ELBOW PPSU 32-32	1039950	UPONOR S-PRESS PLUS TEE RED. PPSU 20-16-20
1039933	UPONOR S-PRESS PLUS COUPLING PPSU 16-16	1039951	UPONOR S-PRESS PLUS TEE RED. PPSU 20-20-16
1039934	UPONOR S-PRESS PLUS COUPLING PPSU 20-20	1039952	UPONOR S-PRESS PLUS TEE RED. PPSU 20-25-20
1039935	UPONOR S-PRESS PLUS COUPLING PPSU 25-25	1039953	UPONOR S-PRESS PLUS TEE RED. PPSU 25-16-16
1039936	UPONOR S-PRESS PLUS COUPLING PPSU 32-32	1039954	UPONOR S-PRESS PLUS TEE RED. PPSU 25-16-20
1039937	UPONOR S-PRESS PLUS REDUCER PPSU 20-16	1039955	UPONOR S-PRESS PLUS TEE RED. PPSU 25-16-25
1039938	UPONOR S-PRESS PLUS REDUCER PPSU 25-16	1039956	UPONOR S-PRESS PLUS TEE RED. PPSU 25-20-20
1039939	UPONOR S-PRESS PLUS REDUCER PPSU 25-20	1039957	UPONOR S-PRESS PLUS TEE RED. PPSU 25-20-25
1039940	UPONOR S-PRESS PLUS REDUCER PPSU 32-25	1039958	UPONOR S-PRESS PLUS TEE RED. PPSU 32-16-32
1039944	UPONOR S-PRESS PLUS TEE PPSU 16-16-16	1039959	UPONOR S-PRESS PLUS TEE RED. PPSU 32-20-32
1039945	UPONOR S-PRESS PLUS TEE PPSU 20-20-20	1039960	UPONOR S-PRESS PLUS TEE RED. PPSU 32-25-25
1039946	UPONOR S-PRESS PLUS TEE PPSU 25-25-25	1039961	UPONOR S-PRESS PLUS TEE RED. PPSU 32-25-32
1039947	UPONOR S-PRESS PLUS TEE PPSU 32-32-32		

1. Fittings aus PPSU / PPSU-fittings			
Pos.	Inhaltsstoffe <i>Ingredients</i>	Anforderungen an den/die Inhaltsstoffe <i>Requirements for the ingredient(s)</i>	Entspricht den Anforderungen des DGNB-Kriterienkataloges Stand 2018 <i>Meets the requirements of the DGNB criteria catalogue, issued 2018</i>
1	<ul style="list-style-type: none"> - Chlorparaffine (CP) - Polybromierte Biphenyle (PBB) - Diphenylether (PBDE) - Weichmacher (TCEP) - Chlorinated kerosene (CP) - Polybrominated biphenyls (PBB) - Diphenyl ethers (PBDE) - Plasticizers (TCEP) 	<ul style="list-style-type: none"> - Keine CP enthalten - Keine PBB enthalten - PBDE < 0,1% - TCEP <0,1% - No CP included. - No PBB contained. - PBDE <0.1% - TCEP <0.1% 	<p>Z.43 Flammhemmend ausgerüstete Bauprodukte (Erzeugnisse)</p> <p><i>Z.43 Flame retardant building products (products)</i></p>
2	<ul style="list-style-type: none"> - SVHC (gemäß REACH Kandidatenliste) - SVHC (according to REACH candidate list) 	<ul style="list-style-type: none"> - < 0,1% 	<p>Z.43 Flammhemmend ausgerüstete Bauprodukte (Erzeugnisse)</p> <p><i>Z.43 Flame retardant building products (products)</i></p>
3	<ul style="list-style-type: none"> - Zinn-, Cadmium- und Bleistabilisatoren für Weich-PVC: reproduktionstoxische Phthalat-Weichmacher ≤ 0,1 % - Tin, cadmium, and lead stabilizers for flexible PVC: phthalate plasticizers toxic to reproduction ≤ 0.1%. 	<ul style="list-style-type: none"> - Kein PVC enthalten. - No PVC included. 	<p>Z.44 Erzeugnisse aus Kunststoffen (PVC)</p> <p><i>Z.44 Products made with PVC</i></p>

2. Fittings aus Messing / brass-fittings			
Uponor Art.-Nr.	Uponor Artikelbezeichnung Uponor item description	Uponor Art.-Nr.	Uponor Artikelbezeichnung Uponor item description
1070501	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 16-R3/8"MT	1070571	UPONOR S-PRESS PLUS TEE REDUCER 20-25-20
1070502	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 16-R1/2"MT	1070572	UPONOR S-PRESS PLUS TEE REDUCER 25-16-16
1070503	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 16-R3/4"MT	1070573	UPONOR S-PRESS PLUS TEE REDUCER 25-16-20
1070504	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 20-R1/2"MT	1070574	UPONOR S-PRESS PLUS TEE REDUCER 25-16-25
1070505	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 20-R3/4"MT	1070575	UPONOR S-PRESS PLUS TEE REDUCER 25-20-16
1070506	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 20-R1"MT	1070576	UPONOR S-PRESS PLUS TEE REDUCER 25-20-20
1070507	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 25-R3/4"MT	1070577	UPONOR S-PRESS PLUS TEE REDUCER 25-20-25
1070508	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 25-R1"MT	1070578	UPONOR S-PRESS PLUS TEE REDUCER 25-25-16
1070509	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 32-R1"MT	1070579	UPONOR S-PRESS PLUS TEE REDUCER 25-32-25
1070510	UPONOR S-PRESS PLUS ADAPTER MALE THREAD 32-R1 1/4"MT	1070580	UPONOR S-PRESS PLUS TEE REDUCER 32-16-32
1070511	UPONOR S-PRESS PLUS ADAPTER MALE THREAD BENELUX 16-R15MM CU	1070581	UPONOR S-PRESS PLUS TEE REDUCER 32-20-32
1070512	UPONOR S-PRESS PLUS ADAPTER MALE THREAD BENELUX 20-R22MM CU	1070582	UPONOR S-PRESS PLUS TEE REDUCER 32-25-25
1070513	UPONOR S-PRESS PLUS ADAPTER MALE THREAD BENELUX 25-R22MM CU	1070583	UPONOR S-PRESS PLUS TEE REDUCER 32-25-32
1070515	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 16-RP1/2"FT	1070592	UPONOR S-PRESS PLUS TEE MALE THREAD 16-R1/2"MT-16
1070516	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 20-RP1/2"FT	1070593	UPONOR S-PRESS PLUS TEE MALE THREAD 25-R3/4"MT-25
1070517	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 20-RP3/4"FT	1070594	UPONOR S-PRESS PLUS TEE MALE THREAD 32-R3/4"MT-32
1070518	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 20-RP1"FT	1070595	UPONOR S-PRESS PLUS TEE FEMALE THREAD 16-RP1/2"FT-16
1070519	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 25-RP3/4"FT	1070596	UPONOR S-PRESS PLUS TEE FEMALE THREAD 20-RP1/2"FT-20
1070520	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 25-RP1"FT	1070597	UPONOR S-PRESS PLUS TEE FEMALE THREAD 20-RP3/4"FT-20
1070521	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 32-RP1"FT	1070598	UPONOR S-PRESS PLUS TEE FEMALE THREAD 25-RP1/2"FT-25
1070522	UPONOR S-PRESS PLUS ADAPT. FEMALE THREAD 32-RP1 1/4"FT	1070599	UPONOR S-PRESS PLUS TEE FEMALE THREAD 25-RP3/4"FT-25
1070523	UPONOR S-PRESS PLUS ELBOW 16-16	1070600	UPONOR S-PRESS PLUS TEE FEMALE THREAD 32-RP1/2"FT-32
1070524	UPONOR S-PRESS PLUS ELBOW 20-20	1070601	UPONOR S-PRESS PLUS TEE FEMALE THREAD 32-RP3/4"FT-32
1070525	UPONOR S-PRESS PLUS ELBOW 25-25	1070602	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 16-G1/2"SN
1070526	UPONOR S-PRESS PLUS ELBOW 32-32	1070603	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 16-G3/4"SN
1070527	UPONOR S-PRESS PLUS BEND 16-16	1070604	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 20-G1/2"SN
1070528	UPONOR S-PRESS PLUS BEND 20-20	1070605	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 20-G3/4"SN
1070529	UPONOR S-PRESS PLUS BEND 25-25	1070606	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 25-G3/4"SN
1070530	UPONOR S-PRESS PLUS BEND 32-32	1070607	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 25-G1"SN

1070531	UPONOR S-PRESS PLUS ELBOW MALE THREAD 16-R3/8"MT	1070608	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 25-G1 1/4 "SN
1070532	UPONOR S-PRESS PLUS ELBOW MALE THREAD 16-R1/2"MT	1070609	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 32-G1"SN
1070533	UPONOR S-PRESS PLUS ELBOW MALE THREAD 20-R1/2"MT	1070610	UPONOR S-PRESS PLUS ADAPTER SWIVEL NUT 32-G1 1/4"SN
1070534	UPONOR S-PRESS PLUS ELBOW MALE THREAD 20-R3/4"MT	1070611	UPONOR S-PRESS PLUS ELBOW SWIVEL NUT 16-G3/8"SN
1070535	UPONOR S-PRESS PLUS ELBOW MALE THREAD 25-R3/4"MT	1070612	UPONOR S-PRESS PLUS ELBOW SWIVEL NUT 16-G1/2"SN
1070536	UPONOR S-PRESS PLUS ELBOW MALE THREAD 25-R1"MT	1070613	UPONOR S-PRESS PLUS ELBOW SWIVEL NUT 20-G1/2"SN
1070537	UPONOR S-PRESS PLUS ELBOW MALE THREAD 32-R1"MT	1070614	UPONOR S-PRESS PLUS ELBOW SWIVEL NUT 25-G3/4"SN
1070538	UPONOR S-PRESS PLUS ELBOW MALE CU ADAPT. 16-G3/8"MT/10CU	1070615	UPONOR S-PRESS PLUS ADAPTER 16-15CU
1070539	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 16-RP1/2"FT	1070616	UPONOR S-PRESS PLUS ADAPTER 20-18CU
1070540	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 20-RP1/2"FT	1070617	UPONOR S-PRESS PLUS ADAPTER 20-22CU
1070541	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 20-RP3/4"FT	1070618	UPONOR S-PRESS PLUS ADAPTER 25-22CU
1070542	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 25-RP3/4"FT	1070619	UPONOR S-PRESS PLUS ADAPTER 25-28CU
1070543	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 25-RP1"FT	1070620	UPONOR S-PRESS PLUS ADAPTER 32-28CU
1070544	UPONOR S-PRESS PLUS ELBOW FEMALE THREAD 32-RP1"FT	1070621	UPONOR S-PRESS PLUS STOP END 16
1070545	UPONOR S-PRESS PLUS ELBOW 45DEG 25-25	1070622	UPONOR S-PRESS PLUS STOP END 20
1070546	UPONOR S-PRESS PLUS ELBOW 45DEG 32-32	1070623	UPONOR S-PRESS PLUS STOP END 25
1070547	UPONOR S-PRESS PLUS COUPLING 16-16	1070624	UPONOR S-PRESS PLUS STOP END 32
1070548	UPONOR S-PRESS PLUS COUPLING 20-20	1070629	UPONOR S-PRESS PLUS U-TAP ELBOW 16-RP1/2"FT-16
1070549	UPONOR S-PRESS PLUS COUPLING 25-25	1070630	UPONOR S-PRESS PLUS U-TAP ELBOW 20-RP1/2"FT-20
1070550	UPONOR S-PRESS PLUS COUPLING 32-32	1070631	UPONOR S-PRESS PLUS U-TAP ELBOW 20-RP1/2"FT-16
1070552	UPONOR S-PRESS PLUS REDUCER 20-16	1070632	UPONOR S-PRESS PLUS U-TAP ELBOW 16-RP1/2"FT-20
1070553	UPONOR S-PRESS PLUS REDUCER 25-16	1070633	UPONOR S-PRESS PLUS U-TAP ELBOW 25-RP1/2"FT-25
1070554	UPONOR S-PRESS PLUS REDUCER 25-20	1070634	UPONOR S-PRESS PLUS U-TAP ELBOW 25-RP1/2"FT-20
1070555	UPONOR S-PRESS PLUS REDUCER 32-20	1070635	UPONOR S-PRESS PLUS U-TAP ELBOW 20-RP1/2"FT-25
1070556	UPONOR S-PRESS PLUS REDUCER 32-25	1070636	UPONOR S-PRESS PLUS U-TAP ELBOW MIXER 16-16-R1/2"MT
1070560	UPONOR S-PRESS PLUS TEE 16-16-16	1070637	UPONOR S-PRESS PLUS U-TAP ELBOW MIXER 20-20-R3/4"MT
1070561	UPONOR S-PRESS PLUS TEE 20-20-20	1070638	UPONOR S-PRESS PLUS TAP ELBOW M 16-RP3/8"FT
1070562	UPONOR S-PRESS PLUS TEE 25-25-25	1070639	UPONOR S-PRESS PLUS TAP ELBOW M 16-RP1/2"FT
1070563	UPONOR S-PRESS PLUS TEE 32-32-32	1070640	UPONOR S-PRESS PLUS TAP ELBOW M 20-RP1/2"FT
1070566	UPONOR S-PRESS PLUS TEE REDUCER 16-20-16	1070641	UPONOR S-PRESS PLUS TAP ELBOW M 20-RP3/4"FT
1070567	UPONOR S-PRESS PLUS TEE REDUCER 20-16-16	1070642	UPONOR S-PRESS PLUS TAP ELBOW M 25-RP3/4"FT
1070568	UPONOR S-PRESS PLUS TEE REDUCER 20-16-20	1070643	UPONOR S-PRESS PLUS TAP ELBOW VALVE BOX 16-RP3/4"FT
1070569	UPONOR S-PRESS PLUS TEE REDUCER 20-20-16	1070644	UPONOR S-PRESS PLUS TAP ELBOW L 16-RP1/2"FT
1070570	UPONOR S-PRESS PLUS TEE REDUCER 20-25-16	1070645	UPONOR S-PRESS PLUS TAP ELBOW L 20-RP1/2"FT

2. Fittings aus Messing / brass-fittings			
Pos.	Inhaltsstoffe Ingredients	Anforderungen an den/die Inhaltsstoffe Requirements for the ingredient(s)	Entspricht den Anforderungen des DGNB-Kriterienkataloges Stand 2018 Meets the requirements of the DGNB criteria catalogue, issued 2018
1	<ul style="list-style-type: none"> - Chlorparaffine (CP) - Polybromierte Biphenyle (PBB) - Diphenylether (PBDE) - Weichmacher (TCEP) - Chlorinated kerosene (CP) - Polybrominated biphenyls (PBB) - Diphenyl ethers (PBDE) - Plasticizers (TCEP) 	<ul style="list-style-type: none"> - Keine CP enthalten - Keine PBB enthalten - PBDE < 0,1% - TCEP <0,1% - No CP included. - No PBB contained. - PBDE <0.1% - TCEP <0.1% 	Z.43 Flammhemmend ausgerüstete Bauprodukte (Erzeugnisse) Z.43 Flame retardant building products (products)
2	<ul style="list-style-type: none"> - SVHC (gemäß REACH Kandidatenliste) - SVHC (according to REACH candidate list) 	<ul style="list-style-type: none"> - < 0,1% - Blei bis 1,6% als Legierungsbestandteil - Lead included in alloy up to 1,6% 	Z.43 Flammhemmend ausgerüstete Bauprodukte (Erzeugnisse) Z.43 Flame retardant building products (products)
3	<ul style="list-style-type: none"> - Zinn-, Cadmium- und Bleistabilisatoren für Weich-PVC: reproduktionstoxische Phthalat-Weichmacher ≤ 0,1 % - Tin, cadmium, and lead stabilizers for flexible PVC: phthalate plasticizers toxic to reproduction ≤ 0.1%. 	<ul style="list-style-type: none"> - Kein PVC enthalten. - No PVC included. 	Z.44 Erzeugnisse aus Kunststoffen (PVC) Z.44 Products made with PVC

Die Uponor S-Press PLUS Messingfittings beinhalten bis zu 1,6% Blei als Legierungsbestandteil.
 Uponor brass fittings contain up to 1.6% lead as an alloying component.


Dem Bauherrn entstehen bei bestimmungsgemäßer Verwendung keine Nachteile aufgrund von in der Legierung dauerhaft verbleibenden Schadstoffen wie z. B. Blei.

When used as intended, the building owner suffers no disadvantages due to pollutants such as lead permanently remaining in the alloy.

Hiermit erklären wir, dass unsere vorgenannten Produkte die obenstehenden Merkmale aufweisen.

We hereby declare that our products as listed have the above characteristics.

Hamburg, 15.05.2023

DocuSigned by:

8E7FE624C88A4E2...
Stephan Zornow
Director, Product Data and Compliance

Hassfurt, 15.05.2023

DocuSigned by:

C4259E27F8FB430...
Marcus Bohl
Manager, Approvals & Certification

Uponor GmbH

Industriestr. 56
97437 Haßfurt
Deutschland
T + 49 (0)9521 690-0
F + 49 (0)9521 690-710
W www.uponor.de

Tangstedter Landstr. 111
22415 Hamburg
Deutschland
T + 49 (0)40 30 986-0
F + 49 (0)40 30 986-433
W www.uponor.de

Kreuzweg 58
48607 Ochtrup
Deutschland
T + 49 (0)2553 725-0
F + 49 (0)2553 725-78
W www.uponor.de

Geschäftsführer:

Goran Kovacev
Richard Kraus
Gerrit Schmidt
Markus Friedrichs
HRB 1832, Registergericht Bamberg
Sitz d. Gesellschaft: Haßfurt, Deutschland
Ust-IdNr. DE 133 899 039