· INSTA-CERT·

CERTIFICATE

Date of valid edition 2017-10-06

No: 5094

Date of first issue 2010-04-01

Reference

Name and address of certificate holder

Conformity mark covered by certificate

Uponor GmbH Industistrasse 56 D-97437 Hassfurt Germany



Information regarding certificate holder/manufacturer

Contact person	Telephone	Telefax	
Maria Isabel Fernandez	+34685 3600	+34 916 473 245	
Walla ISabel I emandez	E-mail		
Manufacturer		mariaisabel.fernandez@uponor.com Place of manufacture	
Uponor OY	Nastola, Finland		

Product covered by the certificate

11 3 7	Standard Normative document	Specific rules
installations – Crosslinked polyethylene (PE-X) – Part 3: Fittings.		INSTA SBC 15875

Specification of product

Uponor Quick & Easy fittings made from PPSU, fitting group 1, 2 and 3, diameter 16, 20, 25 and 32 mm Elbows, tees, reducers, couplers end caps and plastic manifolds.

Application class 2: Hot water supply (70°C), 10 bar

Application class 5: High temperature radiators, 6 or 10 bar

Confidential information according to the enclosure

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with the "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the licensee. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body.

The certificate is not transferable.

MEMBER OF INSTA-CERT

RISE Research Institutes of Sweden AB Certification

Lennart Månsson